Rearranging Formulas

High School Math · Grades 8–10 · About 25 minutes · 8 questions

Name _____ Date _____ Score / 8

WHAT YOU WILL PRACTICE

- Solve a formula for one variable in one or two steps
- Rearrange formulas that contain fractions
- Rearrange a formula where the variable is squared

WORKED EXAMPLE

Solve for x in $y = 2x + 9$.

1. Subtract 9 from both sides: $y - 9 = 2x$.
2. Divide both sides by 2: $(y - 9)/2 = x$.
3. Write it with x on the left: $x = (y - 9)/2$.

Answer: $x = (y - 9)/2$

Questions

Show your work in the space under each question.

1. Solve for x in $y = x + 7$

2. Solve for x in $y = 4x$

3. Solve for x in $y = 3x - 5$

© YFCampus · www.yfcampus.com · Free to print for home and classroom use. Not for resale.

4. Solve for t in $v = u + at$

5. Solve for r in $C = 2\pi r$

6. Solve for x in $y = x/5 + 2$

7. Solve for b in $A = \frac{1}{2}bh$

8. Solve for x in $y = x^2 + 4$, where x is positive

Answers: Rearranging Formulas

Mark your own work, then go back to any question you got wrong before reading the tutor tip.

Q	QUESTION	ANSWER
1	Solve for x in y = x + 7	**x = y − 7**
2	Solve for x in y = 4x	**x = y/4**
3	Solve for x in y = 3x − 5	**x = (y + 5)/3**
4	Solve for t in v = u + at	**t = (v − u)/a**
5	Solve for r in C = 2πr	**r = C/(2π)**
6	Solve for x in y = x/5 + 2	**x = 5(y − 2)**
7	Solve for b in A = ½bh	**b = 2A/h**
8	Solve for x in y = x² + 4, where x is positive	**x = √(y − 4)**

TUTOR TIP

Undo the operations in reverse order, doing the same thing to both sides, exactly as you would when solving an equation.

Stuck on a question? Work through it live with a tutor.

YFCampus offers one-to-one online Math tutoring matched to your school curriculum. Book a free trial class at **www.yfcampus.com/us**

Written for students aged 13 to 16 and suitable for Grades 8–10. Check your school's curriculum for the exact order of topics. YFCampus is independent and is not affiliated with any exam board or education ministry.